




Now with Wireless-Data!

Your Advantages:

- 10-time faster thread testing
- Short inspection by high rotational speed 500 r / min .
- Ergonomic handling, weight from 460 g
- Mobile use by battery operation
- Data Interface: Wireless Data (standard with GOCONTROL30WD)
- The articulated slip clutches (DIN13 / ISO1502) guarantee a constant testing torque
- Because of flexible special editions you can check nearly all kind of components, even with interference contours
- High capacity battery , 2600 mAh
- Thread plug gauge go without handle (DIN 2282) useable
- Electronic Hold function for thread depth checking
- Preset function (standard with GOCONTROL30)



GOCONTROL® – the rapid motor thread inspection , proven since 1994.

GOCONTROL® – efficiency chart:














The amortization is calculated on past experience with depth examination of two M4x6 threads per workpiece. The payback period is calculated from the savings of about 10 seconds per thread and an hourly rate of 50 €.

GOCONTROL® without depth measuring

		GoControl Item no.	Description	measuring range	Price €
 	GOCONTROL <i>articulated slip clutches</i>	GOCONTROL_1	motorised thread inspection tool 1-18 without depth measuring	M2 - M18	1640,00
		GOCONTROL_M2	Articulated slip clutches 1-18 for GOCONTROL_1	M2 - M3	318,00
		GOCONTROL_M3,5		M3,5 - M6	326,00
		GOCONTROL_M7		M7 - M10	337,00
		GOCONTROL_M10,5		M10,5 - M14	347,00
		GOCONTROL_M14,5		M14,5 - M18	360,00

GOCONTROL® with depth measuring + accessories

	GoControl Item no.	Description	measuring range	Price €
 <p>GOCONTROL30WD System-overview</p>  <p>GOCONTROL articulated slip clutches</p>  <p>GOCONTROL stop sleeve</p>  <p>GOCONTROL50 System-overview</p>	GOCONTROL30WD	motorised thread inspection tool 1-18 with digital thread measurement with wireless data	M2 - M18 30 mm	2.780,00
	GOCONTROL_M2_30	articulated slip clutches 1-18 + stop sleeve for GOCONTROL30 and GOCONTROL30_P	M2 - M3	324,00
	GOCONTROL_M3,5_30		M3,5 - M6	333,00
	GOCONTROL_M7_30		M7 - M10	343,00
	GOCONTROL_M10,5_30		M10,5 - M14	354,00
	GOCONTROL_M14,5_30		M14,5 - M18	378,00
 <p>GOCONTROL articulated slip clutches</p>  <p>GOCONTROL stop sleeve</p>	GOCONTROL50	motorised thread inspection tool 1-18 with digital thread measurement	M2 - M18 50 mm	2.980,00
	GOCONTROL50_P PRESET-Funktion	motorised thread inspection tool 1-18 with digital thread measurement with preset-function	M2 - M18 50 mm	3.290,00
	GOCONTROL_M2_50	articulated slip clutches 1-18 + stop sleeve for GOCONTROL50 and GOCONTROL50_P	M2 - M3	330,00
	GOCONTROL_M3,5_50		M3,5 - M6	341,00
	GOCONTROL_M7_50		M7 - M10	351,00
	GOCONTROL_M10,5_50		M10,5 - M14	362,00
GOCONTROL_M14,5_50	M14,5 - M18		376,00	
	GOCONTROL_WD	USB receiver and software (for 1 device per PC)		137,00
	GOCONTROL_SOFTWD	Software WD 4.0 (for more than 1 device per PC)		453,00
	GOCONTROL_AUFH	gambrel stick for vertical usement		65,00
 <p>longer articulated slip clutches and stop sleeve</p>	GOCONTROL_VERL	longer articulated slip clutches / stop sleeve for GOCONTROL 1 - 18 · please specify the length		174,00
 <p>GOCONTROL_EDAG</p>	GOCONTROL_EDAG	Adjusting piece per thread size (t=p/2) (Please specify the thread with its pitch when ordering)		209,00
 <p>GOCONTROL_ABLAGE</p>	GOCONTROL_ABLAGE	deposition for GOCONTROL 1 - 18 (helical 15°, PVC, black)		376,00
 <p>GOCONTROL Handset with power adapter or battery</p>	GOCONTROL_AKKU1	Additional battery unit for GOCONTROL 1 - 18		224,00
	GOCONTROL_AKKU2	Zusatz-Akku-Einheit für GOCONTROL 1 - 18 (ab 06/2016)		59,00
	GOCONTROL_NETZ	Additional power adapter (230V) for GOCONTROL 1 - 18 with spiral cable 1,5 m		526,00
 <p>GOCONTROL_KABEL</p>	GOCONTROL_KABEL	Data cable OPTO RS/USB, length 2,0 m		156,00
	GOCONTROLLADEGERAET1	Replacement Charger for GOCONTROL_AKKU1 (before 06/2016)		50,30
	GOCONTROLLADEGERAET2	Replacement Charger for GOCONTROL_AKKU1 (after 06/2016)		91,60

GOCONTROL® calibration

Item no.	calibration according to VDI 2618	inspection range	Price €
KGOCO3N	Thread plug gauge go without handle + depth	2 - 3 mm	15,00
KGOCO40N	Thread plug gauge go without handle + depth	3 - 40 mm	19,00
KGOCOTN	depth measurement		7,00



Blankenhorn
Messtechnik

motorised thread inspection




Caliper
Micrometer

Dial gauge · dial indicator
Marking- and truing device

Gauge
Calibration
Systems



GOCONTROL® III components

	GoControl Item no.	Description	measuring range	Price €
 GOCONTROL_III	GOCONTROL_III	motorised thread inspection tool III with digital depthmeasuring, including cable 1,5 m for mains connection	M3,5 - M30 40 mm	2.785,00
 GOCONTROL articulated slip clutches	GOCONTROL_III_M3,5	articulated slip clutches + stop sleeve for GOCONTROL_III	M3,5 - M6	356,00
	GOCONTROL_III_M7		M7 - M10	365,00
	GOCONTROL_III_M10,5		M10,5 - M14	376,00
	GOCONTROL_III_M14,5		M14,5 - M18	388,00
	GOCONTROL_III_M20		M20 - M22	398,00
	GOCONTROL_III_M24		M24 - M27	408,00
	GOCONTROL_III_M30		M30	418,00
 GOCONTROL stop sleeve	accessories	see GOCONTROL® with depthmeasuring + accessories		

Item no.	calibration according to VDI 2618	inspection range	Price €
KGOCO40N	Thread plug gauge go + depth	> 3 - 40 mm	19,00
KGOCOTN	Inspection of depthmeasurement		7,00

Go measuring plug without handle

GUDMZ			calibration	
Item no.	thread	Price €	Item no.	Price €
GUDMZM3	M3 (x 0,50)	27,60	KGUD3N	12,00
GUDMZM4	M4 (x 0,70)	24,10	KGUD40N	8,00
GUDMZM5	M5 (x 0,80)	23,30	KGUD40N	8,00
GUDMZM5SONDER	M5 Kegel-Ø d2=2,5mm	98,00	KGUD40N	8,00
GUDMZM6	M6 (x 1,00)	23,30	KGUD40N	8,00
GUDMZM7	M7 (x 1,00)	23,30	KGUD40N	8,00
GUDMZM7SONDER	M7 Kegel-Ø d2=4,0mm	93,50	KGUD40N	8,00
GUDMZM8	M8 (x 1,25)	23,30	KGUD40N	8,00
GUDMZM9	M9 (x 1,25)	25,70	KGUD40N	8,00
GUDMZM10	M10 (x 1,5)	26,80	KGUD40N	8,00
GUDMZM12	M12 (x 1,75)	28,60	KGUD40N	8,00
GUDMZM14	M14 (x 2)	30,90	KGUD40N	8,00
GUDMZM16	M16 (x 2)	33,00	KGUD40N	8,00
GUDMZM18	M18 (x 2,5)	35,60	KGUD40N	8,00

Further Thread plug gauge on demand



Blankenhorn
Messtechnik

motorised thread inspection

Caliper
Micrometer

Dial gauge · dial indicator
Marking- and truing device

Gauge
Calibration
Systems



GOCORE_1

GOCORE components

Item no.	Description	measuring range	Price €
GOCORE_1	Core hole depth gauge with digital depthmeasuring	Ø4 - Ø18 60 mm	895,00

Inspection gauge and abutment sleeve for Core hole (tolerance h6) regular thread

Item no.	for thread	Price €
GOCORE_M5	M5	229,00
GOCORE_M6	M6	235,00
GOCORE_M7	M7	239,00
GOCORE_M8	M8	245,00
GOCORE_M10	M10	249,00
GOCORE_M12	M12	255,00
GOCORE_M14	M14	259,00
GOCORE_M16	M16	269,00
GOCORE_M18	M18	279,00

Inspection gauge and abutment sleeve for Core hole (tolerance h6) fine thread

Item no.	for thread	Price €
GOCORE_M5x0,5	M5 x 0,5	239,00
GOCORE_M6x0,75	M6 x 0,75	249,00
GOCORE_M8x0,75	M8 x 0,75	259,00
GOCORE_M10x0,75	M10 x 0,75	269,00
GOCORE_M8x1	M8 x 1	259,00
GOCORE_M10x1	M10 x 1	269,00
GOCORE_M12x1	M12 x 1	279,00
GOCORE_M14x1	M14 x 1	299,00
GOCORE_M16x1	M16 x 1	309,00
GOCORE_M12x1,25	M12 x 1,25	299,00
GOCORE_M14x1,5	M14 x 1,5	299,00
GOCORE_M16x1,5	M16 x 1,5	309,00



Item no.	Description	Price €
GOCORE_ANSCHLAG	abutment sleeve as a special version	on demand
GOCORE_DORN	Inspection gauge as a special version Please note the tolerance and diameter	on demand
GOCORE_ABLAGE	deposition for 3 stop sleeve and 6 Inspection gauges	249,00

Item no.	calibration according to VDI 2618	inspection range	Price €
KLGD40N	Go measuring plug	1 - 40 mm	6,00



Blankenhorn
Messtechnik

Blankenhorn GmbH
Ruiter Str. 51 · 73734 Esslingen
Telefon: +49 (711) 9 19 65 - 0
Telefax: +49 (711) 9 19 65 - 300
E-Mail: info@blankenhorn.com
www.blankenhorn.com

offering, errors and changes excepted.
Edition: May 2015